

# *The Relational Model*

## Chapter 3

**ECS 165A – Winter 2023**



**Mohammad Sadoghi**  
*Exploratory Systems Lab*  
*Department of Computer Science*

**UCDAVIS**  
UNIVERSITY OF CALIFORNIA



# *Why Study the Relational Model?*

- ❖ Most widely used model.
  - Vendors: IBM, Microsoft, Oracle, etc.
- ❖ “Legacy systems” in older models
  - E.G., IBM’s IMS
- ❖ Old competitors:
  - Hierarchical Model
  - Network Model
- ❖ Competitors: object-oriented model
- ❖ *Object-relational model*

# Relational Database: Definitions

- ❖ *Relational database*: a set of *relations*
- ❖ *Relation*: made up of 2 parts:
  - *Schema*: specifies name of relation, plus name and type of each column.
    - E.G. Students(*sid*: string, *name*: string, *login*: string, *age*: integer, *gpa*: real).
  - *Instance*: a *table*, with rows and columns.  
#Rows = *cardinality*, #fields = *degree / arity*.
- ❖ Can think of a relation as a *set* of rows or *tuples* (i.e., all rows are distinct).

## *Example Instance of Students Relation*

sid	name	login	age	gpa
53666	Jones	jones@cs	18	3.4
53688	Smith	smith@eecs	18	3.2
53650	Smith	smith@math	19	3.8

- ❖ Cardinality = 3, degree = 5, all rows distinct
- ❖ Do all columns in a relation instance have to be distinct?

# *Relational Query Languages*

- ❖ A major strength of the relational model: supports simple, powerful *querying* of data.
- ❖ Queries can be written intuitively, and the DBMS is responsible for efficient evaluation.
  - The key: precise semantics for relational queries.
  - Allows the optimizer to extensively re-order operations, and still ensure that the answer does not change.

# *The SQL Query Language*

- ❖ Developed by IBM (system R) in the 1970s
- ❖ Need for a standard since it is used by many vendors
- ❖ Standards:
  - SQL-86
  - SQL-89 (minor revision)
  - SQL-92 (major revision)
  - SQL-99 (major extensions)
  - SQL:2003, SQL:2006, SQL:2008, SQL:2011

# *Example: University Database*

## ❖ Schema:

- *Students(sid: string, name: string, login: string, age: integer, gpa:real)*
- *Courses(cid: string, cname:string, credits:integer)*
- *Enrolled(sid:string, cid:string, grade:string)*

# The SQL Query Language

- ❖ To find all 18 year old students, we can write:

```
SELECT *  
FROM Students S  
WHERE S.age=18
```

sid	name	login	age	gpa
53666	Jones	jones@cs	18	3.4
53688	Smith	smith@ee	18	3.2

- To find just names and logins, replace the first line:  
SELECT S.name, S.login



# Querying Multiple Relations

- ❖ What does the following query compute?

```
SELECT S.name, E.cid  
FROM Students S, Enrolled E  
WHERE S.sid=E.sid AND E.grade="A"
```

Given the following instances of Enrolled and Students:

sid	cid	grade
53831	Carnatic101	C
53831	Reggae203	B
53650	Topology112	A
53666	History105	B

sid	name	login	age	gpa
53666	Jones	jones@cs	18	3.4
53688	Smith	smith@eecs	18	3.2
53650	Smith	smith@math	19	3.8

we get:

S.name	E.cid
Smith	Topology112

# Creating Relations in SQL

- ❖ Creates the Students relation. Observe that the type **(domain)** of each field is specified, and enforced by the DBMS whenever tuples are added or modified.
- ❖ As another example, the Enrolled table holds information about courses that students take.

```
CREATE TABLE Students  
(sid: CHAR(20),  
name: CHAR(20),  
login: CHAR(10),  
age: INTEGER,  
gpa: REAL)
```

```
CREATE TABLE Enrolled  
(sid: CHAR(20),  
cid: CHAR(20),  
grade: CHAR(2))
```

# *Removing and Altering Relations*

## **DROP TABLE** Students

- ❖ Removes the relation Students. The schema information *and* the tuples are deleted.

## **ALTER TABLE** Students

**ADD COLUMN** firstYear: integer

- ❖ The schema of Students is altered by adding a new field; every tuple in the current instance is extended with a *null* value in the new field.

# *Adding and Deleting Tuples*

- ❖ Can insert a single tuple using:

```
INSERT INTO Students (sid, name, login, age, gpa)
        VALUES (53688, 'Smith', 'smith@ee', 18, 3.2)
```

- ❖ Can delete all tuples satisfying some condition (e.g., name = Smith):

```
DELETE
FROM Students S
WHERE S.name = 'Smith'
```

# Integrity Constraints (ICs)

- ❖ **IC:** condition that must be true for *any* instance of the database; e.g., domain constraints.
  - ICs are specified when schema is defined.
  - ICs are checked when relations are modified.
- ❖ A *legal* instance of a relation is one that satisfies all specified ICs.
  - DBMS should not allow illegal instances.
- ❖ If the DBMS checks ICs, stored data is more faithful to real-world meaning.
  - Avoids data entry errors, too!

# *Primary Key Constraints*

- ❖ A set of fields is a key for a relation if  
no two distinct tuples (records) can have  
same values in all key fields, and

# Primary and Candidate Keys in SQL

❖ Possibly many candidate keys (specified using **UNIQUE**), one of which is chosen as the *primary key*.

❖ “For a given student and course, there is a single grade.”

```
CREATE TABLE Enrolled  
(sid CHAR(20)
```

❖ “Students can take only one course, and receive a single grade for that course; further, no two students in a course receive the same grade.”

```
cid CHAR(20),  
grade CHAR(2),  
PRIMARY KEY (sid,cid) )
```

```
CREATE TABLE Enrolled  
(sid CHAR(20)
```

```
cid CHAR(20),  
grade CHAR(2),  
PRIMARY KEY (sid),
```

```
UNIQUE (cid, grade) )
```

# Foreign Keys, Referential Integrity

- ❖ Foreign key : Set of fields in one relation that is used to `refer' to a tuple in another relation. (Must correspond to primary key of the second relation.) Like a `logical pointer'.
- ❖ E.g. *sid* is a foreign key referring to **Students**:
  - Enrolled(*sid*: string, *cid*: string, *grade*: string)
  - If all foreign key constraints are enforced, referential integrity is achieved, i.e., no dangling references.
  - Can you name a data model w/o referential integrity?
    - Links in HTML!



# Foreign Keys in SQL

- ❖ Only students listed in the Students relation should be allowed to enroll for courses.


```
CREATE TABLE Enrolled
  (sid CHAR(20), cid CHAR(20), grade CHAR(2),
   PRIMARY KEY (sid,cid),
   FOREIGN KEY (sid) REFERENCES Students )
```

## Enrolled

sid	cid	grade
53666	Carnatic101	C
53666	Reggae203	B
53650	Topology112	A
53666	History105	B

## Students

sid	name	login	age	gpa
53666	Jones	jones@cs	18	3.4
53688	Smith	smith@eecs	18	3.2
53650	Smith	smith@math	19	3.8



# *Enforcing Referential Integrity*

- ❖ Consider Students and Enrolled; *sid* in Enrolled is a foreign key that references Students.
- ❖ What should be done if an Enrolled tuple with a non-existent student id is inserted? (*Reject it!*)
- ❖ What should be done if a Students tuple is deleted?
  - Also delete all Enrolled tuples that refer to it.
  - Disallow deletion of a Students tuple that is referred to.
  - Set *sid* in Enrolled tuples that refer to it to a *default sid*.  
(In SQL, also: Set *sid* in Enrolled tuples that refer to it to a special value *null*, denoting 'unknown' or 'inapplicable'.)
- ❖ Similar if primary key of Students tuple is updated.

# Referential Integrity in SQL

- ❖ SQL/92 and SQL:1999 support all 4 options on deletes and updates.
  - Default is **NO ACTION** (*delete/update is rejected*)
  - **CASCADE** (also delete all tuples that refer to deleted tuple)
  - **SET NULL / SET DEFAULT** (sets foreign key value of referencing tuple)

```
CREATE TABLE Enrolled
(sid CHAR(20),
cid CHAR(20),
grade CHAR(2),
PRIMARY KEY (sid,cid),
FOREIGN KEY (sid)
REFERENCES Students
ON DELETE CASCADE
ON UPDATE SET DEFAULT )
```

# Views

- ❖ A view is just a relation, but we store a *definition*, rather than a set of tuples.

```
CREATE VIEW YoungActiveStudents (name, grade)
AS SELECT S.name, E.grade
FROM Students S, Enrolled E
WHERE S.sid = E.sid and S.age < 21
```

- ❖ Views can be dropped using the **DROP VIEW** command.
  - How to handle **DROP TABLE** if there's a view on the table?
    - DROP TABLE command has options to let the user specify this.

# *Views and Security*

- ❖ Views can be used to present necessary information (or a summary), while hiding details in underlying relation(s).
  - Given YoungStudents, but not Students or Enrolled, we can find students *s* who have are enrolled, but not the *cid*'s of the courses they are enrolled in.

# *Relational Model: Summary*

- ❖ A tabular representation of data.
- ❖ Simple and intuitive, currently the most widely used.
- ❖ Integrity constraints can be specified by the DBA, based on application semantics. DBMS checks for violations.
  - Two important ICs: primary and foreign keys
  - In addition, we *always* have domain constraints.
- ❖ Powerful and natural query languages exist.